ELSEVIER

Journal of Power Sources 58 (1996) 250

JOURNAL OF POWER SOURCES

# Author Index of Volume 58

Abbas, H., 15
Adam, A.M.M.M., 197
Adler, T.C., 93
Anderman, M., 1
Antonini, A., 139
Appleby, A.J., 153
Armenta-Deu, C., 123

Barker, J., 145
Basumallick, I.N., 183
Beaunier, P., 189
Bełtowska-Brzezinska, M., 73
Borràs, N., 197

Cabot, P.L., 197
Cairns, E.J., 93
Chelali, N., 225
Chen, L., 177, 231
Chen, Y., 87
Chiodelli, G., 103
Chung, D.D.L., 41, 55

DalinSun, ., 243
Djellouli, B., 225
Donaire, T., 123

Evans, J.W., 87

Fellner, J.P., 99
Ferguson, J.R., 109
Fiard, J.M., 109
Fitas, R., 225
Frysz, C.A., 41, 55
Fukuoka, S., 205

Gopalan, A., 29
Guo, H., 239

Han, S., 221
Hara, M., 205
Herbin, R., 109
Huang, B., 177, 231
Huang, Y., 177, 231

Jamal, Md., 217
Jiang, L.C., 235
Jiang, X., 235
JingWu, ., 243

Karlsson, G., 79
Koksbang, R., 145
Kolli, N., 209
Kopczyk, M., 73
Koseki, M., 23
Kowalak, A.D., 67
Kumagai, N., 23
Kumar, G., 213

Lemordant, D., 189
Li, D.P., 221
Li, G., 177
Li, N., 221
Li, W.S., 235
Lin, A.S., 67
Lin, B.X., 221

Magistris, A., 103
Majchrzyckia, W., 73
McLarnon, F.R., 93
Młynarek, G., 73
Mukherjee, A., 183
Muniyandi, N., 213
Muralidharan, B., 29

Narasimha Chary, M., 217
Nasser, S.A., 15
Nishio, K., 205
Nohma, T., 205

O'Grady, W.E., 67

Paruthimal Kalaignan, G., 29
Pérez, E., 197
Periasamy, P., 35
Pistoia, G., 135, 139

QidongWang, ., 243

Ramesh Babu, B., 35
Rao, G.M., 7
Rosati, R., 135

Saïdi, M.Y., 145
Sai Kumar, A., 209
Sandhu, S.S., 99
Shareefuddin, Md., 217
Shui, X., 41, 55
Singh, K., 103
Sivashanmugam, A., 213

Tang, Z., 239
Taucher, W., 93
Thirunakaran, R., 213
Tsenter, B., 1
Tudela Ribes, A., 189

Umaprakatheeswaran, C., 29

Vaidyanathan, H., 7
Vasudevan, S., 213
Vasudevan, T., 29
Venkatakrishna Iyer, S., 35

Wajsgras, H., 7
Wang, F., 177, 231
Wang, G., 139
Wang, Z., 231
Watanabe, K., 23
Wei, Z., 239
WeihongLiu, ., 243
Willmann, P., 189
Wójcik, G., 73

Xie, G.Y., 235
Xue, R., 177, 231

Yamamoto, Y., 205
Yan, H., 177
Yang, H.Q., 221
YongquanLei, ., 243
Yoshimura, S., 205

Zerroual, L., 225

Elsevier Science S.A.

ELSEVIER

Journal of Power Sources 58 (1996) 251–254

JOURNAL OF POWER SOURCES

# Subject Index of Volume 58

Active carbon
methanol electro-oxidation on platinum and platinum–tin alloy catalysts dispersed on active carbon, 239
Additives
electrochemical behaviour of addition agents impregnated in cadmium hydroxide electrodes for alkaline batteries, 29
Ageing
determination of an ageing factor for lead/acid batteries. 1. Kinetic aspects, 123
Alkaline batteries
electrochemical behaviour of addition agents impregnated in cadmium hydroxide electrodes for alkaline batteries, 29
cyclic voltammetric studies of porous iron electrodes in alkaline solutions used for alkaline batteries, 35
Alkaline solution
electrochemical behaviour of multicomponent Zr–Ti–V–Mn–Cr–Ni alloys in alkaline solution, 73
electrochemical corrosion of an Al–Mg–Cr–Mn alloy containing Fe and Si in inhibited alkaline solutions, 197
Alloys
electrochemical behaviour of multicomponent Zr–Ti–V–Mn–Cr–Ni alloys in alkaline solution, 73
a study of the degradation of the electrochemical capacity of amorphous $Mg_{50}Ni_{50}$ alloy, 243
Aluminium
complex behaviour of aluminium dissolution in alkaline aqueous 2-propanol solution, 183
electrochemical corrosion of an Al–Mg–Cr–Mn alloy containing Fe and Si in inhibited alkaline solutions, 197
Anodes
characteristics of pyrolyzed phenol–formaldehyde resin as an anode for lithium-ion batteries, 231

Batteries
common vessel monoblock design for sealed nickel–cadmium batteries, 1
voltage and capacity stability of the Hubble telescope nickel–hydrogen battery, 7
carbon filaments and carbon black as a conductive additive to the manganese dioxide cathode of a lithium electrolytic cell, 41
transport properties of $AgI–Ag_2O–P_2O_5–MoO_3$ amorphous solid electrolyte, 103
heat treatment of α- and β-battery lead dioxide and its relationship to capacity loss, 225
Bioelectrochemical cells
a bioelectrolyte cell — an alternate source of energy, 209
Bromine chloride
use of carbon filaments in place of carbon black as the current collector of a lithium cell with a thionyl chloride bromine chloride catholyte, 55

Cadmium
common vessel monoblock design for sealed nickel–cadmium batteries, 1
Calcium hydroxide
electrochemical behaviour of addition agents impregnated in cadmium hydroxide electrodes for alkaline batteries, 29
*Calotropis gigantea*
a bioelectrolyte cell — an alternate source of energy, 209
Capacity
heat treatment of α- and β-battery lead dioxide and its relationship to capacity loss, 225
a study of the degradation of the electrochemical capacity of amorphous $Mg_{50}Ni_{50}$ alloy, 243
Carbon black
carbon filaments and carbon black as a conductive additive to the manganese dioxide cathode of a lithium electrolytic cell, 41
use of carbon filaments in place of carbon black as the current collector of a lithium cell with a thionyl chloride bromine chloride catholyte, 55
Carbon filaments
carbon filaments and carbon black as a conductive additive to the manganese dioxide cathode of a lithium electrolytic cell, 41
use of carbon filaments in place of carbon black as the current collector of a lithium cell with a thionyl chloride bromine chloride catholyte, 55
Cathodes
carbon filaments and carbon black as a conductive additive to the manganese dioxide cathode of a lithium electrolytic cell, 41
1-nitronaphthalene as a cathode material for magnesium reserve batteries, 213
vanadium–maganese complex oxides as cathode materials for aqueous solution secondary batteries, 221
Catholyte
use of carbon filaments in place of carbon black as the current collector of a lithium cell with a thionyl chloride bromine chloride catholyte, 55
Chromium
electrochemical behaviour of multicomponent Zr–Ti–V–Mn–Cr–Ni alloys in alkaline solution, 73
electrochemical corrosion of an Al–Mg–Cr–Mn alloy containing Fe and Si in inhibited alkaline solutions, 197
Cobalt
effect of cobalt addition to nickel hydroxide as a positive material for rechargeable alkaline batteries, 23
Coin-type cells
development of coin-type lithium secondary batteries containing manganese dioxide/Li–Al, 205
Commercialization
issues in fuel cell commercialization, 153
Common vessel monoblock
common vessel monoblock design for sealed nickel–cadmium batteries, 1

Elsevier Science S.A.

Conductivity
carbon filaments and carbon black as a conductive additive to the manganese dioxide cathode of a lithium electrolytic cell, 41
Cool-down time
cool-down time of solid oxide fuel cells intended for transportation application, 87
Corrosion
electrochemical corrosion of an Al–Mg–Cr–Mn alloy containing Fe and Si in inhibited alkaline solutions, 197
Cyclic voltammetry
cyclic voltammetric studies of porous iron electrodes in alkaline solutions used for alkaline batteries, 35
Cycling efficiency
correlation between cycling efficiency and surface morphology of electrodeposited lithium. Effect of fluorinated surface active additives, 189

Diffusion-limited reaction
diffusion-limited self-discharge reaction in the Hubble space telescope battery, 99
Dry cell batteries
hydroxyl as a defect of the manganese dioxide lattice and its applications to the dry cell battery, 15

Electrocatalysis
studies of the role of water in the electrocatalysis of methanol oxidation, 67
methanol electro-oxidation on platinum and platinum–tin alloy catalysts dispersed on active carbon, 239
Electrochemical cells
ionic transport and battery characterization studies on NaI-$Na_2O$-$B_2O_3$ ternary glassy system, 217
Electrodes
cyclic voltammetric studies of porous iron electrodes in alkaline solutions used for alkaline batteries, 35
carbon filaments and carbon black as a conductive additive to the manganese dioxide cathode of a lithium electrolytic cell, 41
use of carbon filaments in place of carbon black as the current collector of a lithium cell with a thionyl chloride bromine chloride catholyte, 55
development of lightweight nickel electrodes for zinc/nickel oxide cells, 93
impedance study on the reactivity of gel polymer electrolytes towards a lithium electrode, 139
lithium-ion rechargeable cells with polyacenic semiconductor (PAS) and $LiCoO_2$ electrodes, 177
Energy density
development of coin-type lithium secondary batteries containing manganese dioxide/Li–Al, 205

Fluorinated compounds
correlation between cycling efficiency and surface morphology of electrodeposited lithium. Effect of fluorinated surface active additives, 189
Fuel cells
issues in fuel cell commercialization, 153
methanol electro-oxidation on platinum and platinum–tin alloy catalysts dispersed on active carbon, 239

Glass
transport properties of AgI–$Ag_2O$–$P_2O_5$–$MoO_3$ amorphous solid electrolyte, 103
Glass electrolytes
ionic transport and battery characterization studies on NaI-$Na_2O$-$B_2O_3$ ternary glassy system, 217

Heat treatment
heat treatment of α- and β-battery lead dioxide and its relationship to capacity loss, 225
Hubble telescope
voltage and capacity stability of the Hubble telescope nickel–hydrogen battery, 7
Hydrogen
voltage and capacity stability of the Hubble telescope nickel–hydrogen battery, 7
Hydroxyl content
hydroxyl as a defect of the manganese dioxide lattice and its applications to the dry cell battery, 15

Impedance studies
impedance study on the reactivity of gel polymer electrolytes towards a lithium electrode, 139
*Ipomoea aquatica*
a bioelectrolyte cell — an alternate source of energy, 209
Iron
cyclic voltammetric studies of porous iron electrodes in alkaline solutions used for alkaline batteries, 35
electrochemical corrosion of an Al–Mg–Cr–Mn alloy containing Fe and Si in inhibited alkaline solutions, 197

Lead/acid batteries
simple model for the overcharge reaction in valve regulated lead/acid batteries under fully stationary conditions, 79
determination of an ageing factor for lead/acid batteries. 1. Kinetic aspects, 123
Lead dioxides
heat treatment of α- and β-battery lead dioxide and its relationship to capacity loss, 225
Lithium
carbon filaments and carbon black as a conductive additive to the manganese dioxide cathode of a lithium electrolytic cell, 41
use of carbon filaments in place of carbon black as the current collector of a lithium cell with a thionyl chloride bromine chloride catholyte, 55
synthesis of an efficient $LiMn_2O_4$ for lithium-ion cells, 135
impedance study on the reactivity of gel polymer electrolytes towards a lithium electrode, 139
lithium-ion rechargeable cells with polyacenic semiconductor (PAS) and $LiCoO_2$ electrodes, 177
correlation between cycling efficiency and surface morphology of electrodeposited lithium. Effect of fluorinated surface active additives, 189
Lithium-containing manganese oxide
development of coin-type lithium secondary batteries containing manganese dioxide/Li–Al, 205
Lithium-ion batteries
lithium-ion rechargeable cells with polyacenic semiconductor (PAS) and $LiCoO_2$ electrodes, 177
characteristics of pyrolyzed phenol–formaldehyde resin as an anode for lithium-ion batteries, 231
Lithium-ion cells
synthesis of an efficient $LiMn_2O_4$ for lithium-ion cells, 135
a model lithium-ion system based on the insertion properties of the spinel phase $Li_xMn_2O_4$, $(0<x<2)$, 145
Lithium secondary batteries
development of coin-type lithium secondary batteries containing manganese dioxide/Li–Al, 205

Magnesium
electrochemical corrosion of an Al–Mg–Cr–Mn alloy containing Fe and Si in inhibited alkaline solutions, 197
a study of the degradation of the electrochemical capacity of amorphous $Mg_{50}Ni_{50}$ alloy, 243

Magnesium reserve batteries
1-nitronaphthalene as a cathode material for magnesium reserve batteries, 213
Manganese
electrochemical behaviour of multicomponent Zr–Ti–V–Mn–Cr–Ni alloys in alkaline solution, 73
synthesis of an efficient $LiMn_2O_4$ for lithium-ion cells, 135
electrochemical corrosion of an Al–Mg–Cr–Mn alloy containing Fe and Si in inhibited alkaline solutions, 197
Manganese dioxide
hydroxyl as a defect of the manganese dioxide lattice and its applications to the dry cell battery, 15
carbon filaments and carbon black as a conductive additive to the manganese dioxide cathode of a lithium electrolytic cell, 41
effect of $H_2SO_4$ concentration on preparation and activity of activated manganese dioxide, 235
Manganese oxide
a model lithium-ion system based on the insertion properties of the spinel phase $Li_xMn_2O_4$, $(0<x<2)$, 145
vanadium–maganese complex oxides as cathode materials for aqueous solution secondary batteries, 221
Mathematical modelling
three-dimensional numerical simulation for various geometries of solid oxide fuel cells, 109
Methanol electro-oxidation
methanol electro-oxidation on platinum and platinum–tin alloy catalysts dispersed on active carbon, 239
Methanol oxidation
studies of the role of water in the electrocatalysis of methanol oxidation, 67

Nickel
common vessel monoblock design for sealed nickel–cadmium batteries, 1
voltage and capacity stability of the Hubble telescope nickel–hydrogen battery, 7
electrochemical behaviour of multicomponent Zr–Ti–V–Mn–Cr–Ni alloys in alkaline solution, 73
development of lightweight nickel electrodes for zinc/nickel oxide cells, 93
a study of the degradation of the electrochemical capacity of amorphous $Mg_{50}Ni_{50}$ alloy, 243
Nickel–hydrogen battery
diffusion-limited self-discharge reaction in the Hubble space telescope battery, 99
Nickel hydroxide
effect of cobalt addition to nickel hydroxide as a positive material for rechargeable alkaline batteries, 23
Nickel oxide
development of lightweight nickel electrodes for zinc/nickel oxide cells, 93
Nitronaphthalene
1-nitronaphthalene as a cathode material for magnesium reserve batteries, 213
Numerial simulation
three-dimensional numerical simulation for various geometries of solid oxide fuel cells, 109

Open-circuit voltage
ionic transport and battery characterization studies on $NaI\text{-}Na_2O\text{-}B_2O_3$ ternary glassy system, 217
Overcharge reactions
simple model for the overcharge reaction in valve regulated lead/acid batteries under fully stationary conditions, 79

Phenol–formaldehyde
characteristics of pyrolyzed phenol–formaldehyde resin as an anode for lithium-ion batteries, 231
Phosphoric acid fuel cells
issues in fuel cell commercialization, 153
Platinum
methanol electro-oxidation on platinum and platinum–tin alloy catalysts dispersed on active carbon, 239
Polyacenic semiconductor
lithium-ion rechargeable cells with polyacenic semiconductor (PAS) and $LiCoO_2$ electrodes, 177
Polymer electrolytes
impedance study on the reactivity of gel polymer electrolytes towards a lithium electrode, 139
Positive materials
effect of cobalt addition to nickel hydroxide as a positive material for rechargeable alkaline batteries, 23
Potassium hydroxide
complex behaviour of aluminium dissolution in alkaline aqueous 2-propanol solution, 183
Propanol
complex behaviour of aluminium dissolution in alkaline aqueous 2-propanol solution, 183

Rechargeable alkaline batteries
effect of cobalt addition to nickel hydroxide as a positive material for rechargeable alkaline batteries, 23
Rechargeable lithium cells
lithium-ion rechargeable cells with polyacenic semiconductor (PAS) and $LiCoO_2$ electrodes, 177
Resins
characteristics of pyrolyzed phenol–formaldehyde resin as an anode for lithium-ion batteries, 231

Secondary materials
vanadium–maganese complex oxides as cathode materials for aqueous solution secondary batteries, 221
Self-discharge
diffusion-limited self-discharge reaction in the Hubble space telescope battery, 99
Short-circuit current
ionic transport and battery characterization studies on $NaI\text{-}Na_2O\text{-}B_2O_3$ ternary glassy system, 217
Silicon
electrochemical corrosion of an Al–Mg–Cr–Mn alloy containing Fe and Si in inhibited alkaline solutions, 197
Silver conductors
transport properties of $AgI\text{–}Ag_2O\text{–}P_2O_5\text{–}MoO_3$ amorphous solid electrolyte, 103
Solid oxide fuel cells
cool-down time of solid oxide fuel cells intended for transportation application, 87
three-dimensional numerical simulation for various geometries of solid oxide fuel cells, 109
Stability
voltage and capacity stability of the Hubble telescope nickel–hydrogen battery, 7
Sulfuric acid
effect of $H_2SO_4$ concentration on preparation and activity of activated manganese dioxide, 235
Surface morphology
correlation between cycling efficiency and surface morphology of electrodeposited lithium. Effect of fluorinated surface active additives, 189

Thionyl chloride
use of carbon filaments in place of carbon black as the current collector of a lithium cell with a thionyl chloride bromine chloride catholyte, 55
Titanium
electrochemical behaviour of multicomponent Zr–Ti–V–Mn–Cr–Ni alloys in alkaline solution, 73
Transportation
cool-down time of solid oxide fuel cells intended for transportation application, 87

Unit operations
a bioelectrolyte cell — an alternate source of energy, 209

Valve regulated lead/acid batteries
simple model for the overcharge reaction in valve regulated lead/acid batteries under fully stationary conditions, 79
Vanadium
electrochemical behaviour of multicomponent Zr–Ti–V–Mn–Cr–Ni alloys in alkaline solution, 73
Vanadium oxide
vanadium–maganese complex oxides as cathode materials for aqueous solution secondary batteries, 221

Water
studies of the role of water in the electrocatalysis of methanol oxidation, 67

Zinc
development of lightweight nickel electrodes for zinc/nickel oxide cells, 93
Zirconium
electrochemical behaviour of multicomponent Zr–Ti–V–Mn–Cr–Ni alloys in alkaline solution, 73